





ACCESSORIES GM/GP/CM/SP/CG/CT/SS



AIR ROOF SYSTEM GM Eaves module

Air inlet element and stop tooth for the ventilated roof's eaves with anti-insect screen.Available in copper or pre-painted steel.Length 3 m

• Section of ventilation 300 cm²/m





AIR ROOF SYSTEM GP

Element for the inlet of air to the ventilated roof's eaves with anti-insect screen. Available in copper or pre-painted steel.

- Length 3 m
- Section of ventilation $300 \text{ cm}^2/\text{m}$

AIR ROOF SYSTEM Ridge cap module

Element for the elimination of hot air from the ventilated roof's ridge cap with anti-insect screen. Available in copper or pre-painted steel.

- Length 3 m
- Section of ventilation $600 \text{ cm}^2/\text{m}$



AIR ROOF SYSTEM CG Ridge cap joint

Pre-drilled joint for the Ridge cap module that permits the interconnection of the 3 meter elements. Available in copper or pre-painted steel.

AIR ROOF SYSTEM SP Roofing tile section

Element for the elimination of hot air from the ventilated roof's ridge cap wherever the Ridge cap module cannot be used (such as whenever the pitch runs along an adjacent section a wall).

• Length 1 m

AIR ROOF SYSTEM YCT

Ridge cap head

Pre-drilled closing element

for the Ridge cap module

that permits the sealing of

the heads of the ridge cap

elements. Available in copper or pre-painted steel.

Section of ventilation 300 cm²/m



AIR ROOF SYSTEM **S** Slope bracket

Element for the mechanical fastening of AIRWAY panels to be used for roofs with slopes of more than 35%.



ACCESSORIES GM/GP/CM/SP/CG/CT/SS

Laying AIRWAY accessories

